


INFORMATION DISCLOSURE CITATION

Attorney Docket No.: GC781-2-US		Serial No.: 10/530,556	
Applicant: Dunn-Coleman, et al.			
Filing Date: November 5, 2003		Group:	
Page <u>1</u> of <u>5</u>		Date of this Submission: June 28, 2007	



US PATENT DOCUMENTS

Examiner's	Document				Sub-	Filing
Initial	Number	Date	Name	Class	Class	Date
	4,435,307	3/6/84	Barbesgaard			
	4,816,567	3/28/89	Cabilly			
	5,648,263	7/15/97	Schulein			
	5,691,178	11/25/97	Schulein			
	5,776,757	7/7/98	Schulein			
	6,022,725	2/8/00	Fowler			
	6,184,018	2/6/01	Li			
	6,982,159	9/21/01	Dunn-Coleman			
	7,045,332	12/18/01	Dunn-Coleman			
	7,005,289	12/18/01	Dunn-Coleman			
	Patent Application No.: 20040102619		Dunn-Coleman			11/21/02

FOREIGN PATENT DOCUMENTS

Examiner's	Document				Sub-	Translation
Initials	Number	Date	Country	Class	Class	Yes/No
	WO 00/70031		PCT			
	WO 91/04673		PCT			
	WO 92/06209		PCT			
	WO 94/28117		PCT			
	WO 96/02551		PCT			
	1,358,599		GB			
	2,094,826	3/2/82	GB			
	2,095,275	3/2/82	GB			

OTHER DOCUMENTS

Examiner's	Author, Title, Date, Pertinent Pages, etc.
Initials	
	Altschul, S. F., et al., J. Mol. Biol. 215:403-410, 1990. <i>Basic Local Alignment Search Tool</i>
	Altschul, S. F., et al., Nucleic Acids Res. 25:3389-3402, 1997. <i>Gapped BLAST and PSI-BLAST: a new generation of protein database search programs.</i>

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /TS/

Attorney Docket No.: GC781-2-US	Serial No.: 10/530,556
Applicant: Dunn-Coleman, et al.	
Filing Date: November 5, 2003	Group:
Page <u>2</u> of <u>5</u>	Date of this Submission: June 28, 2007

	Aro, N., J Biol Chem. 2001 Jun 29;276(26):24309-14. (Epub 2001 Apr 13.) <i>ACELL, a novel Transcriptional Activator Involved in Regulation of Cellulase and Xylanase Genes of Trichoderma reesei.</i>
	Aubert J.P. et al., Academic Press pp. 71-86 (1988) <i>Scale Up Of Cellulase Production and Utilization.</i>
**	Ausubel FM et al., Current Protocols in Molecular Biology, John Wiley & Sons, New York, NY, 1993.
	Baldwin, D., et al., Curr. Opin. Plant Biol. 2(2):96-103, 1999. <i>A Comparison of gel-based, nylon filter and microarray techniques to detect differential RNA expression in plants.</i>
	Barnett, C. C., et al., Bio/Technology, 9:562-567, 1991. <i>Cloning and Amplification of the Gene Encoding An Extracellular B-Glucosidase From Trichoderma Reesei: Evidence for Improved....</i>
**	Baulcombe, D., Arch. Virol. Suppl. 15 :189-201, 1999.
	Bennett, J.W. and Lasure, L.L. (eds.) <i>More Gene Manipulations in Fungi.</i> Academic Press, pp. 396-428
	Campbell, et al., (1989) <i>Curr. Genet.</i> 16:53-56, 1989. <i>Improved transformation efficiency of Aspergillus niger using the homologous niaD gene for nitrate reductase.</i>
	Chen et al., Biochem. Biophys. Acta. 1121 :54-60, 1992. <i>Purification and Characterization of two extracellular B-glucosidases from Trichoderma reesei</i>
**	Coligan, J. E. et al., eds., CURRENT PROTOCOLS IN IMMUNOLOGY, 1991.
	Collen, A., et al., Journal of Chromatography A 910:275-284, 2001. <i>Genetically engineered peptide fusions for improved protein partitioning in aqueous two-phase systems.</i>
**	Coughlan, et al., BIOCHEMISTRY AND GENETICS OF CELLULOSE DEGRADATION
	Cummings and Fowler, Curr. Genet. 29:227-233, 1996. <i>Secretion of Trichoderma reesei B-glucosidase by Saccharomyces cerevisiae.</i>
	Dayhoff et al. in Atlas of Protein Sequence and Structure, Volume 5, Supplement 3, Chapter 22, pp. 345-352, 1978. <i>A Model Of Evolutionary Change in Proteins</i>
	Fields and Song, Nature 340:245-246, 1989. <i>A Novel Genetic System To Detect Protein-Protein Interactions.</i>
	Filho, et al. Can. J. Microbiol. 42 :1-5, 1996. <i>Purification and Characterization of a B-glucosidase from solid-state cultures of Humicola grisea var.thermoidea.</i>
	Foreman, P. J. Biol. Chem 278:31988-31997. <i>Transcriptional Regulation of Biomass-degrading Enzymes in the Filamentous Fungus Trichoderma reesei.</i>
	Freer, et al. J. Biol. Chem. 268:9337-9342, 1993. <i>Kinetic Characterization of a B-Glucosidase from a Yeast, Candida wickerhamii.</i>
**	Freshney, R. I., ed., ANIMAL CELL CULTURE, 1987.
	<i>Fusarium</i> include Bajar, Podila and Kolattukudy, (1991) <i>Proc. Natl. Acad. Sci. USA</i> 88: 8202-8212
	Goyal,et al. Bioresource Technol. 36-37-50 (1991). <i>Characteristics of Fungal Cellulases.</i>
	Halldorsdottir, S et al., Appl Microbiol Biotechnol. 49(3):277-84, 1998. <i>Cloning, sequencing and overexpression of a Rhodothermus marinus gene encoding a thermostable cellulose of glycosyl hydrolase family 12.</i>
	Henrissat, B. and Bairoch, A. (1993) <i>Biochem. J.</i> 293:781-788. <i>New families in the classification of glycosyl hydrolases based on amino acid sequence similarities.</i>
	Herr et al., Appl. Microbiol. Biotechnol. 5:29-36, 1978. <i>Purification and Properties Of An Extracellular B-Glucosidase from Lenzites Trabea.</i>

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /TS/

Attorney Docket No.: GC781-2-US	Serial No.: 10/530,556
Applicant: Dunn-Coleman, et al.	
Filing Date: November 5, 2003	Group:
Page <u>3</u> of <u>5</u>	Date of this Submission: June 28, 2007

	Hu <i>et al.</i> , Mol Cell Biol. vol.11, no. 11, pp. 5792-5799, 1991. <i>Antibodies Specific For the Human Retionblastoma Protein Identify A Family Of Related Polypeptides.</i>
	Ilmen, M. et al., <i>Appl. Environ. Microbiol.</i> 63:1298 -1306 (1997). <i>Regulation of Cellulase Gene Expression in the Filamentous Fungus Trichoderma reesei.</i>
	Jakobovits, A, Curr Opin Biotechnol 6(5):561-6, 1995. <i>Production of Fully Human Antibodies by Transgenic mice.</i>
	Jakobovits, A, et al., Ann NY Acad Sci 764:525-35, 1995. <i>Production of Antigen-Specific Human Antibodies from Mice Engineered With Human Heavy and Light Chain YAC's.</i>
	Jones <i>et al.</i> , Nature 321:522-525, 1986. <i>Replacing the complementarity determining regions in a human antibody with those from a mouse.</i>
	Kawaguchi, T <i>et al.</i> , Gene 173(2):287-8, 1996. <i>Cloning and sequencing of the cDNA encoding B-glucosidase 1 from Aspergillus aculeatus.</i>
	Kelley et al. EMBO J. 4 :475-479, 1985. <i>Transformation of Aspergillus niger by the amdS gene of Aspergillus nidulans</i>
	Knowles, J. et al., TIBTECH 5, 255-261, 1987. <i>Cellulase families and their genes.</i>
	Kohler and Milstein, Nature 256:495, 1975. <i>Continuous cultures of fused cells secreting antibody of predefined specificity.</i>
	Krishna, S. et al., Bioresource Tech. 77:193-196, 2001. <i>Simultaneous saccharification and fermentation of lignocellulosic wastes to ethanol using a thermotolerant yeast.</i>
	Kumar, A., et al., Textile Chemist and Colorist 29:37-42, 1997. <i>Optimizing the use of cellulose enzymes in finishing cellulosic fabrics.</i>
	Lehtio, J. et al., FEMS Microbiology Letters 195:197-204, 2001. <i>Directed immobilization of recombinant staphylococci on cotton fibers by functional display of a fungal cellulose-binding domain.</i>
	Li and Ljungdahl Appl. Environ. Microbiol. 62:209-213, 1996. <i>Expression of Aureobasidium pullulans xynA in, and Secretion of the Xylanase from, Saccharomyces cerevisiae.</i>
	Linder, M. and Teeri, T.T., Biotechnol. 57:15-28, 1997.
	Loftus, J. et al., Science, 249:915-918, 1990 . <i>A B3 Integrin Mutation Abolishes Ligand Binding and Alters Divalent Cation-Dependent Conformation.</i>
	Lorito, Hayes, DiPietro and Harman (1993) <i>Curr. Genet.</i> 24: 349-356;
	Medve, J. et al., J. Chromatography A 808:153, 1998. <i>Ion-exchange chromatographic purification and quantitative analysis of trichoderma reesei cellulases cellobiohydrolase I, II and endoglucanase II by fast protein liquid chromatography.</i>
	Ohmiya et al., Biotechnol. Gen. Engineer. Rev. 14:365-414, 1997.
	Okada, M. et al., Appl. Environ. Microbiol., 64:555-563, 1988. <i>Molecular Characterization and Heterologous Expression of the Gene Encoding a Low-Molecular-Mass Endoglucanase from Trichoderma reesei QM9414.</i>
	Ooi et al., Nucleic Acid Res. 18:5884, 1990. <i>Complete nucleotide sequence of a gene coding for Aspergillus aculeatus cellulase (FI-CMcase)</i>
	Ortega et al., International Biodeterioration and Biodegradation 47:7-14, 2001. <i>Kinetics of cellulose saccharification by Trichoderma reesei cellulases.</i>
	Penttila et al., Gene 45:253-263, 1986. <i>Homology between cellulase genes of Trichoderma reesei...</i>
	Penttila et al., Gene 63: 103-112, 1988. <i>Efficient secretion of two fungal cellobiohydrolases by</i>

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /TS/

Attorney Docket No.: GC781-2-US	Serial No.: 10/530,556
Applicant: Dunn-Coleman, et al.	
Filing Date: November 5, 2003	Group:
Page <u>4</u> of <u>5</u>	Date of this Submission: June 28, 2007

	<i>Saccharomyces cerevisiae.</i>
	Penttila <i>et al.</i> , Yeast 3:175-185, 1987. <i>Expression of Two Trichoderma reesei Endoglucanase in the Yeast Saccharomyces cerevisiae.</i>
	Pere, J., <i>et al.</i> , In Proc. Tappi Pulping Conf., Nashville, TN, 27-31, pp. 693-696, 1996.
**	Pourquie, J. <i>et al.</i> , BIOCHEMISTRY AND GENETICS OF CELLULOSE DEGRADATION, eds.
	Riechmann <i>et al.</i> , Nature 332:323-327, 1988. <i>Reshaping human antibodies for therapy.</i>
	Rothstein <i>et al.</i> , Gene 55:353-356, 1987. <i>Synthesis and Secretion of wheat α-amylase in Saccharomyces cerevisiae.</i>
	Saarihtti <i>et al.</i> , Gene 90:9-14, 1990. <i>CelS: a novel endoglucanase identified from Erwinia carotovora subsp. Carotovora.</i>
	Sakamoto <i>et al.</i> , Curr. Genet. 27:435-439, 1995
	Saloheimo M, <i>et al.</i> , Gene 63:11-22, 1988. <i>EGIII, a new endoglucanase from Trichoderma reesei ; the characterization of both gene and enzyme.</i>
	Saloheimo, A. <i>et al.</i> , Molecular Microbiology, 13:219-228, 1994. <i>A novel, small endoglucanase gene, eg15, from Trichoderma reesei isolated by expression in yeast.</i>
	Saloheimo, M. <i>et al.</i> , Eur. J. Biochem., 249:584-591, 1997. <i>cDNA cloning of a Trichoderma reesei cellulose and demonstration of endoglucanase activity by expression in yeast.</i>
	Schulein, Methods Enzymol., 160, 25, pages 234 et seq, 1988. <i>Cellulase of Trichoderma reesei.</i>
	Scopes, Methods Enzymol. 90: 479-91, 1982. <i>Purification of all glycolytic enzymes from one muscle extract.</i>
	Shoemaker, S. <i>et al.</i> , Bio/Technology, 1:691-696, 1983. <i>Molecular cloning of Exo-Cellobiohydrolase I Derived from Trichoderma Reesei Strain I.27.</i>
	Spilliaert R, <i>et al.</i> , Eur J Biochem. 224(3):923-30, 1994. <i>Cloning and sequencing of a Rhodothermus marinus gene, bg1A, coding for a thermostable B-glucanase and its expression in Escherichia coli.</i>
	Stahlberg, J. <i>et al.</i> , Bio/Technol. 9:286-290, 1991. <i>A New model for enzymatic hydrolysis of cellulose based on the two-domain structure of cellobiohydrolase I.</i>
**	Strathern <i>et al.</i> , eds. (1981) The Molecular Biology of the Yeast Saccharomyces, Cold Spring Harbor Press, Plainview. N.Y.
	Suurnakki, A. <i>et al.</i> , Cellulose 7:189-209, 2000. <i>Trichoderma reesei cellulases and their core domains in the hydrolysis and modification of chemical pulp.</i>
	Teeri, T. <i>et al.</i> , Gene, 51:43-52, 1987. <i>Homologous domains in Trichoderma reesei cellulytic enzymes....</i>
	Te'o, J. <i>et al.</i> , FEMS Microbiology Letters 190:13-19, 2000. <i>Codon optimization of xylanase gene xynB from the thermophilic...</i>
	Timberlake <i>et al.</i> , Cell 1:29-37, 1981. <i>Organization of a Gene Cluster Expressed Specifically in The Asexual Spores of A. nidulans.</i>
	Tomme, P. <i>et al.</i> , Eur. J. Biochem. 170:575-581, 1988. <i>Studies of the cellulolytic system of trichoderma reesei QM 9414.</i>
	Tormo, J. <i>et al.</i> , EMBO J. 15:5739-5751, 1996. <i>Crystal structure of a bacterial family-III cellulose-binding domain ; a general mechanism for attachment to cellulose.</i>
	Tyndall, R.M., Textile Chemist and Colorist 24:23-26, 1992. <i>Improving the softness and surface appearance of cotton fabrics and garments by treatments with cellulose enzymes.</i>
	Van Rensburg <i>et al.</i> , Yeast 14:67-76, 1998. <i>Engineering Yeast for Efficient Cellulose Degradation</i>

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /TS/

Attorney Docket No.: GC781-2-US	Serial No.: 10/530,556
Applicant: Dunn-Coleman, et al.	
Filing Date: November 5, 2003	Group:
Page <u>5</u> of <u>5</u>	Date of this Submission: June 28, 2007

	Van Tilbeurgh, H. <i>et al.</i> , FEBS Lett. 204:223-227, 1986. <i>Limited proteolysis of the cellobiohydrolase I from Trichoderma reesei.</i>
	VanMontagu and Herrera-Estrella (1990) <i>Curr. Genet.</i> 17:169-174
	Verhoeyen <i>et al.</i> , Science 239:1534-1536, 1988. <i>Reshaping Human Antibodies : Grafting an antilysozyme Activity.</i>
	Warrington, <i>et al.</i> , <i>Genomics</i> 13:803-808, 1992
	Wells <i>et al.</i> , Gene 34:315, 1985. <i>Cassette mutagenesis; an efficient method for generation of multiple mutations at defined sites.</i>
	Wells <i>et al.</i> , Philos. Trans. R. Soc. London SerA 317:415, 1986. <i>Importance of hydrogen-bond formation in stabilization the transition state of subtilisin.</i>
**	Wood <i>et al.</i> , METHODS IN ENZYMOLOGY
	Wood, Biochem. Soc. Trans., 13, pp. 407-410, 1985. <i>Properties of cellulolytic enzyme systems.</i>
Examiner	/Tekchand Saidha/
	Date Considered 07/17/2008
Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not	
considered. Include copy of this form with next communication to applicant. PTO-1449	